


Compact rope winch KSW 400/736

Item code: 9684 132 01



G0KSW0736-001

Contents

1	Product description	7
1.1	Compact rope winch KSW400/736	8
1.1.1	Constructional design	8
1.1.2	Technical data	8
2	Safety instructions	9
2.1	Intending usage	10
2.2	Maintenance safety instructions	10
2.3	Particular danger areas during handling	10
3	Maintenance	13
3.1	Maintenance tasks	14
3.1.1	Check oil level and leakage	14
3.1.2	Change gear oil	14
3.1.3	Check function of holding brake	15
3.1.4	Check oil level of holding brake	15
3.1.5	Check fastening screws	16
3.1.6	Summary of maintenance intervals	16
3.2	Lubricants	17
4	Adjustment values	19
4.1	Tightening torques for screws	20
5	Appendix	21

3.1 Maintenance tasks

Ensure that the following prerequisites have been fulfilled:

- ☐ No danger should be presented from moving and rotating parts.
- ☐ A protective guard must be fitted.
- ☐ Do not approach the machine in dangerous predicaments.
- ☐ The machine must be secured against unintentional restart.

3.1.1 Check oil level and leakage

Interval:	50 hours or weekly	by maintenance personnel
-----------	--------------------	--------------------------

Tab. 2 Check oil level and leakage



Note

The operating hours relate to the operating hours of the machine.

- ▶ Observe the operating hours.

- ▶ Check the oil level when the oil is cool.

- ▶ Fill in oil up to the marking as required.



Note

- ▶ The "Marking" for the ideal oil level is located in the middle of the oil inspection glass.

- ▶ Respective markings are featured on the oil dipsticks.

3.1.2 Change gear oil

First-time:	after 200 h	by maintenance personnel
Interval:	4000 h or every 4 years	by maintenance personnel

Tab. 3 Change gear oil



WARNING

Following extended operation, lubricants and surfaces of the drive component can reach temperatures which can lead to skin burns.

- ▶ Use suitable container for the oil change.
- ▶ Avoid direct contact with the oil.
- ▶ Wear appropriate protective clothing when carrying out tasks on hot parts.


NOTICE

Unsuitable types of oil limit the life-expectancy of the component.

- ▶ Use only prescribed types of oil.
- ▶ Under no circumstances should different types of lubricant, for example mineral oil, synthetic oil or grease, be mixed together.

machinecatalogic.com

LBC/000/00/04.08/en



Dichtlippenzwischenraum mit AVIA-Fett OKS 470 gefüllt

mit Loctite Nr. 243 gesichert

Verzahnung mit
Optimoly-Paste MP 3
eingestrichen

Zwischenraum
mit Fett gefüllt

Diese Zeichnung darf ohne unsere Genehmigung weder kopiert, noch vervielfältigt, noch Dritten zugänglich gemacht werden. Zuwiderhandlungen ver-
letzen zu Schadensersatz und sind bei Verstoß strafbar. / Esta planta no puede ser copiada ni reproducida, ni puesta a disposición de terceros,
sin nuestra expresa autorización. En caso de contravención premediadamente, lo anterior procederá la correspondiente acción legal para el resar-
cimiento de daños y perjuicios. / This drawing is not to be copied or reproduced without our consent, nor to be given to any unauthorized parties.
Infringements will be subject to compensatory retributions. Intentional violation is punishable by law. / Il est interdit de reproduire ce dessin ou de le
mettre à la portée de tierces personnes sans notre autorisation écrite. Protection et règlement des droits de reproduction de propriété des dessins.

Werkstoff/Material/Material/Matière		Gewicht/Peso/Weight/Poids		Kernzeichnung der aktuellen Änderung	
		655 kg		1x	
Allgemeintoleranz Tolerancias generales General tolerances Tolérances générales		ISO 2768-m	mm inch	Mßstab/Escala Scale/Echelle	Kategorie/Categoría/ Category/Catégorie
Erstellt/Dispositor/Created	26.01.2005	Ruelten_H	A0 LIEBHERR LIEBHERR-WERK BIBERACH GMBH		
Geändert/Modificado/Changed	04.12.2007	Prisk_P			
Geprüft/Verificado/Inspected	04.12.2007	Ruelten_H			
Freigegeben/Liberado/Released					
Bezeichnung/Description/Description/Description				Angabe/Nr./Modif./Mod.No./ No./Mod.	
KOMPAKT SEILWINDE KSW 400/736				20061248	
Zeichnungs-Nr./Nº plano/Drawing No./No de dessin				Index	Artikelcode/Código/Item/ Code article
68 736 4000 00 2				1.1	968413201

Full Version Available

Liebherr KSW Rope Winch Service Manual

Liebherr KSW rope winches winch service manual with maintenance, adjustment values and safety instructions. English PDF, 31 pages. Instant PDF download.

VIEW THE FULL MANUAL

<https://machinecatalogic.com/liebherr-ksw-rope-winch-service-manual/>

Book No: 9684 132 01 · File Pages: 31 · File Count: 1 · File Language: English